

**CS 164, Spring 1993**  
**Midterm #1**  
**Professor Rowe**

**Problem #1 (10 points; 1 point each)**

Circle T or F to indicate the true or false statements.

T F The following grammar is ambiguous.

$S \rightarrow SaS$

$S \rightarrow SbS$

$S \rightarrow c$

T F It is possible to build a deterministic finite state automation for the language  $\{ a^* b^* \}$  with only two states.

T F We use a scanner to convert characters to tokens rather than having the parser do the conversion because it simplifies the parser and leads to smaller, more time efficient compilers.

T F A *sentential form* is a string of terminals and non-terminals that can be derived from the distinguished start symbol.

T F In OO93, two routines can have the same name or identifier.

T F In constructing a compiler, it is a good idea to use a program, like *flex* or *lex*, because it simplifies the coding of a scanner.

T F A *shared library* contains code that can be shared by several processes running different programs.

T F Dynamically allocated space is placed in the heap.

T F All objects in OO93 contain a pointer to an object that represents the class of the object.

T F A grammar is a representation for a possibly infinite set of sentences.

**Problem #2 (15 points)**

- (a) (5 points) Define a *right-most derivation*.
- (b) (5 points) A possible definition for a floating point BINARY number input format is the following: an optional + or - sign followed by a string of zero or more 0's or 1's followed by a decimal point followed by a string of one or more 0's or 1's.

Some valid numbers in this format are: +.1 10.01 -101.0.0

Some invalid numbers are: 1. -110

Show a finite state automation that will recognize BINARY floating point numbers.

- (c) (5 point) Explain a reduce/reduce conflict and give an example grammar with one.

**Problem #3 (25 points)**

Answer the questions below base on the following program fragment:

```

uses "stdobj.ooh"
List: class object is
    item: object;
    next: List;
    end;
Student: class object is
    name: string;
    login: string;
end;
WorkStudy: class Student is
    hours: int;
end;
BandMember: class Student is
    instrument: string;
end;
Employee: class object is
    name: string;
    jobtitle: string;
    hours: int;
end;

```

- (a) (5 points) What is the type of "new(BandMember)"?
- (b) What is the type of "new(Employee.classof)"?
- (c) (10 points) Suppose you wanted to write a generic procedure named "works" that returned true if the object passed was a work study student or an employee and otherwise it returned false. Write the methods required to implement this procedure. Note that the solution should be modular so that if we add a new category of student who works, we don't have to modify your existing definitions.

- (d) What does the following procedure do?

```
foo: procedure (x: List, y: object) : int is
begin
    if (x<> nil) then
        if (x.item.classof = y) then
            return (1 + foo(x.next, y));
        else
            return (foo(x.next, y));
        fi;
    fi;
    return (0);
end
```

(Hint: an example call is "foo(a\_var, BandMember)" where a\_var is a variable of type List.)

#### **Problem #4 (30 points)**

Given the following LR parser tables and grammar rules, answer the following question.

	id	)	(	\$	S	L
0	s2	s3			1	
1				acc		
2	r1	r1	r1	r1		
3	s2	s3			5	4
4	s2	s3	s6		7	
5	r3	r3	r3	r3		
6	r2	r2	r2	r2		
7	r4	r4	r4	r4		

The grammar is

- 1:  $S \rightarrow id$
- 2:  $S \rightarrow ') L ('$
- 3:  $L \rightarrow S$
- 4:  $L \rightarrow L S$

(a) (10 points) Show the parse tree for the sentence  $) ) id ) id ( ( ( "$ .

(b) (20 points) Show the parser configuration as it parses that input in the following table. You must use state numbers on the syntax stack. (Hint: 25 configurations are shown in the table -- the parse may take less than, more than, or equal to that number steps.)

step	stack	input	action
1	0	) ) id ) id ( ( ( \$	shift 3
2			
3			
4			
5			
6			
7			
8			
9			
10			

11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			

**Problem #5 (20 points)**

Given the following grammar, construct the finite state automation that represents the sets of collections of LR(0) items and the transitions between the sets.

$$S' \rightarrow S\$$$

$$S \rightarrow A 'a'$$

$$S \rightarrow A 'a' S$$

$$A \rightarrow 'b' 'c'$$

$$A \rightarrow 'b' A 'c'$$

Notice that the rule for  $S'$  has already been added to the grammar.